

FIG. 1

Human glycoprotein hormone β 10 polypeptide:

MKLAFLGLPMAILLLAGYGCVLGASSGNLRTFVGCAREFTFLAKKPGCRGLRITTDACWGRCE
WEKPILEPPYIEAHRVCTYNETKQVTVKLPNCAPGVDPFYTPVAIRCDCGACSTATTECETI

Nucleic acid encoding human glycoprotein hormone β 10 polypeptide:

ATGAAGCTGGCATTCCTCTTCCTTGGCCCCCATGGCCCTCCTCTCTGGC
TGGCTATGGCTGTGTCCTCGGTGCTCCAGTGGGAACCTGCGCACCTTTG
TGGCTGTGCCGTGAGGGAGTTACTTTCCTGGCCAAAGAACGAGCTGC
AGGGCCTTCGGATCACACGATGCCCTGCTGGGTCGCTGTGAGACCTG
GGAGAAACCCATTCTGGAACCCCTATATTGAAGCCCATCATCGAGTCT
GTACCTACACGAGACCAACAGGTGACTGTCAAGTGCCCACTGTGCC
CCGGAGTCGACCCCTTCTACACCTATCCCGTGGCCATCCGCTGTGACTG
CGGAGCCTGCTCCACTGCCACCCAGGAGTGTGAGACCATCTGAGGCCGCT
AGCTGCTCTCTGCAGACCCACCTGTGTGAGCAGCACATGC

2 / 7

FIG. 2A

GAP OF: HUMAN TSH- β CHECK: 4247 FROM: 1 TO: 118

TO: HUMAN β 10 CHECK: 6611 FROM: 1 TO: 106

SYMBOL COMPARISON TABLE:
/GCGDISK/GCG10/GCGCORE/DATA/RUNDATA/BLOSUM62.CMP
COMPCHECK: 6430

GAP WEIGHT:	8	AVERAGE MATCH:	2.912
LENGTH WEIGHT:	2	AVERAGE MISMATCH:	-2.003
QUALITY:	140	LENGTH:	129
RATIO:	1.321	GAPS:	4
PERCENT SIMILARITY:	47.368	PERCENT IDENTITY:	36.842

MATCH DISPLAY THRESHOLDS FOR THE ALIGNMENT(S):

	=	IDENTITY
:	=	2
.	=	1

HUMAN TSH- β X HUMAN β 10

```

1 .....FCIPTEYTMHIERRECA YCLTINTTICAGYCMTRDINGKL 40
      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
1 ASSGNLRTFVGCAVREFTFLAKKPGCR.GLRITTDACWGRCETWE..KPI 47

41 FLPKYALSQD.VCTYRDFIYRTVEIPGCPLHVAPYFSYPVALSCKCGKCN 89
      |  |  .  ||||  :  ||.:|  |  |  |  |  |  |  |  |  |
48 LEPPYIEAHHRVCTYNETKQVTVKLPNCAPGVDPFYTYPVAIRCDGACS 97

90 TDYSDCIHEAIAKTN YCTKPQKSYLVGFSV 118
      |  .:|  |  |
98 TATTEC..ETI..... 106
```

3 / 7

FIG. 2B

GAP OF: HUMAN FSH- β CHECK: 8841 FROM: 1 TO: 111
TO: HUMAN β 10 CHECK: 6611 FROM: 1 TO: 106

SYMBOL COMPARISON TABLE:
/GCGDISK/GCG10/GCGCORE/DATA/RUNDATA/BLOSUM62.CMP
COMPCHECK: 6430

GAP WEIGHT:	8	AVERAGE MATCH:	2.912
LENGTH WEIGHT:	2	AVERAGE MISMATCH:	-2.003
QUALITY:	156	LENGTH:	122
RATIO:	1.472	GAPS:	3
PERCENT SIMILARITY:	44.211	PERCENT IDENTITY:	35.789

MATCH DISPLAY THRESHOLDS FOR THE ALIGNMENT(S):
| = IDENTITY
: = 2
. = 1

HUMAN FSH- β X HUMAN β 10

```

1 .....NSCELTNITIAIEKEECRFCISINTTWCAGYCYTRDL.VYK 40
      | . | . | | : | | | | : : .
1 ASSGNLRTFVGCAVREFTFLAKKPGCR.GLRITTDACWGRCETWEKPILE 49

41 DPARPKIQKTCTFKELVYETVRVPGCAHHADSLYTPVATQCHCGKCDSD 90
      | : ||: | ||: . | || | | | | . | || | .
50 PPYIEAHHRVCTYNETKQVTVKLPNCAPGVDPFYTYPVAIRCDCGACSTA 99

91 STDC.TVRGLGPSYCSFGEMKE 111
      . | : | | :
100 TTECETI..... 106

```

4 / 7

FIG. 2C

GAP OF: HUMAN LH- β CHECK: 5679 FROM: 1 TO: 121

TO: HUMAN β 10 CHECK: 6611 FROM: 1 TO: 106

SYMBOL COMPARISON TABLE:
/GCGDISK/GCG10/GCGCORE/DATA/RUNDATA/BLOSUM62.CMP
COMPCHECK: 6430

GAP WEIGHT:	8	AVERAGE MATCH:	2.912
LENGTH WEIGHT:	2	AVERAGE MISMATCH:	-2.003
QUALITY:	140	LENGTH:	125
RATIO:	1.321	GAPS:	3
PERCENT SIMILARITY:	44.118	PERCENT IDENTITY:	32.353

MATCH DISPLAY THRESHOLDS FOR THE ALIGNMENT(S):

	=	IDENTITY
:	=	2
.	=	1

HUMAN LH- β X HUMAN β 10

```

1  .SREPLRPW..CHPINAILAVEKEGCPVCITVNTTICAGYCPTMMR.VLQ 46
   |  || .  |  .| ||  : : |  |  |  |  : :|:
1  ASSGNLRTFVGCAVREFTFLAKKPGCR.GLRITTDACWGRCETWEKPILE 49

47  AVLPPPLPQVVCTYRDVRFESIRLPGCPRGVDPVVSFPVALSCRCGPCRRS 96
   |||| : : .::|| |  |||| .:||||: |  || | .
50  PPYIEAHHRVCTYNETKQVTVKLPNCAPGVDPFYTYTPVAIRCDGACSTA 99

97  TSDCGGPKDHPLTCDHPQLSGLLFL 121
   |.:|
100 TTECETI..... 106
```

5 / 7

FIG. 2D

GAP OF: HUMAN CG- β CHECK: 2358 FROM: 1 TO: 145

TO: HUMAN β 10 CHECK: 6611 FROM: 1 TO: 106

SYMBOL COMPARISON TABLE:
/GCGDISK/GCG10/GCGCORE/DATA/RUNDATA/BLOSUM62.CMP
COMPCHECK: 6430

GAP WEIGHT:	8	AVERAGE MATCH:	2.912
LENGTH WEIGHT:	2	AVERAGE MISMATCH:	-2.003
QUALITY:	131	LENGTH:	149
RATIO:	1.236	GAPS:	3
PERCENT SIMILARITY:	42.157	PERCENT IDENTITY:	31.373

MATCH DISPLAY THRESHOLDS FOR THE ALIGNMENT(S):

| = IDENTITY
: = 2
. = 1

HUMAN CG- β X HUMAN β 10

```

1  .SKEPLRP..RCRPINATLAVEKEGCPVCITVNTTICAGYCPTMTR.VLQ 46
   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
1  ASSGNLRTFVGCAVREFTFLAKKPGCR.GLRITTDACWGRCETWEKPILE 49


47  GVLPALPQVVCNYRDVRFESIRLPGCPRGVNPVVSYAVALSCQCALCRRS 96
    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
50  PPYIEAHHRVCTYNETKQVTVKLPNCAPGVDPFYTPVAIRCDGACSTA 99

97  TTDCGGPKDHPLTCDDPRFQDSSSSKAPPPSLPSPSRLPGPSDTPILPQ 145
    |  |  |
100 TTECETI..... 106
```

FIG. 3

human β 10

6 / 7



— = Disulfide bond

7 / 7

FIG. 4

BESTFIT of: human β 10 check: 6611 from: 1 to: 106

to: mouse β 10 check: 7740 from: 1 to: 106

Symbol comparison table: blosum62.cmp CompCheck: 6430
BLOSUM62 amino acid substitution matrix.

Reference: Henikoff, S. and Henikoff, J. G. (1992). Amino acid
substitution matrices from protein blocks. Proc. Natl. Acad.
Sci. USA 89: 10915-10919.

Gap Weight:	8	Average Match:	2.912
Length Weight:	2	Average Mismatch:	-2.003

Quality:	577	Length:	106
Ratio:	5.443	Gaps:	0
Percent Similarity:	97.170	Percent Identity:	93.396

Match display thresholds for the alignment(s):

	=	IDENTITY
:	=	2
.	=	1

human β 10 x mouse β 10

```

1 ASSGNLRTFVGCAVREFTFLAKKPGCRGLRITTDACWGRCEWKEPILEP 50
. ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
1 SSSGNLHTFVGCAVREFTFMAKKPGCRGLRITTDACWGRCEWKEPILEP 50

51 PYIEAHRVCTYNETKQVTVKLPNCAPGVDPFYTYPVAIRCDGACSTAT 100
||| |: ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
51 PYIEAYHRVCTYNETRQVTVKLPNCAPGVDPFYTYPMAVRCDGACSTAT 100

101 TECETI 106
||| |
101 TECETI 106

```